

# GENSET MODEL PCG636

POWERPAC	CUMMINS	380-415 50hz		480v 60hz	
Generating Set Model	Engine Model	KVA	KW	KVA	KW
PCG636 (Prime)	VTA28G5	636	509	681	545
PCG636 (Standby)	VTA28G5	700	560	750	600
ALTERNATOR MODELS					
Newage Stamford	Mecc Alte	Leroy Somer			
HCI544F	ECO40-2L	LSA49.1 S4			
CONTROL PANEL					
DEEPSEA		SMARTGEN			
DSE7320		HGM9320CAN			

## RATINGS:

- **Prime Output:**  
This rating is applicable for supplying continuous electrical power at variable load. There is no limitation to the annual hours of operation and this model can supply 10% overload power for one hour in 12 hours.
- **Standby Output:**  
This rating is applicable for supplying electrical power (at variables load) in the event of a utility power failure. No overload is permitted on these ratings.
- **Standard References Conditions:**  
25°C, 100ml A.S.L, 30% relative humidity.

## Design Features:

- High Quality assembly, providing stiffness and low vibration.
- Powder coated steel, Corrosion and scratch resistant.
- Compact and long service life.
- Wiring and connectors with double protection.
- Protection guards in radiator and high voltage parts.
- Full 12 month Warranty.

## Design Standards:

- CE marking
- ISO8528-1995
- GB/T2820-1997
- ISO 9001:2008 Registered Company



## CONFIGURATION:

- 4-Stroke water-cooled diesel engine
- Industrial silencer
- Coolant recovery tank
- Single bearing, 4 pole brushless alternator
- Anti vibration mounting
- Integral fuel tank with fully bounded base protection
- Fuel level sensor
- Control Panel - DEEPSEA/SMARTGEN
- Auto start control system with electronic digital control module DSE6020 as standard
- Output circuit breaker
- Emergency stop button
- High engine temprature and low oil pressure shutdown system
- 12V starter battery with leads and switch

## TROLLY:

- 4 Wheel Trolley Mounted
- Steerable
- Towable
- Having Brake

## AUCOUSTIC CANAOPY FEATURES:

- Water and dust proof design
- Door locks
- High quality sound absorbing and fire retardant inner material
- Lifting lugs
- Forklift holes in base